

**2019**

# **PROWLER PRO™ CREW MODELS**





## KEY FEATURES

- Two rows of 40/20/40 bench seating offers ample comfort and space for six passengers, with a low seat height that eases entry/exit for doing chores.
- 812cc liquid-cooled 3-cylinder DOHC closed-loop EFI engine is ultra smooth and quiet. Gas-powered, it produces 50HP and is tuned to deliver strong low- and mid-range power for maximum hauling and towing performance.
- Electronic Throttle Control Technology is matched by a carefully calibrated CVT drive system to provide ultra-smooth acceleration and off-gas deceleration. The drive-by-wire system is even programmed to compensate for unintended “foot bounce” on the accelerator to maintain smooth power delivery when riding over rough terrain.
- Electric 2/4WD with selectable locking rear differential provides the exact drive you need via dash-mounted switches.
- The 2,000-lb. towing capacity, 1,500-lb. payload and 1,000-lb. cargo box capacity offer maximum hauling performance and convenience.
- 1,000-lb. capacity tilting rear cargo box is made of impact-resistant polymer for maximum durability and minimized sound while hauling payloads. The gas-assist tilt enables easy dumping of heavy loads.
- 10 inches of front suspension travel, 9.5 inches of rear suspension travel and 10-inches of ground clearance provide maximum comfort, performance and handling.
- Dedicated quiet and vibration-free ride technology produces the smoothest and quietest riding experience of any side-by-side in its class.
- The modular in-cab design features easily removable front row passenger seats that can be stowed behind the seat backs to provide extra storage space inside the cab.
- Class-leading storage includes 14.72 cubic-feet in the cargo box, plus additional space in the 330-cubic-inch glovebox and 1.70 cu-ft behind the seats.
- The low 12.5-inch floor height provides easy entry/exit for the driver and passengers.
- An infinitely adjustable tilt steering wheel and column-mounted shifter (P,R,N,H,L) enable comfortable operation with maximum space for the occupants.
- The adjustable driver seat offers 3 inches of forward/rearward movement.
- The ROPS system is roll-formed to provide easy and precise fitment of accessories.
- A customizable electronic speed controller allows the operator to easily set a maximum top speed from 25 to 50 mph (in 1-mph increments) via the dash gauge.
- Standard 2-inch (5cm) rear receiver hitch and dual front tow hooks.
- Prowler Pro Crew models come with pre-installed wiring for a variety of accessories. A standard 75-Amp alternator provides ample electric power for accessories.



## THE ULTIMATE 6-PASSENGER CREW CAB UTV

Two all-new 2019 Prowler Pro Crew models from Textron Off Road match spacious 6-passenger comfort and versatility with pure utility, whisper-quiet performance to deliver the ultimate crew cab side-by-side. The Prowler Pro Crew XT and Prowler Pro Crew Ranch Edition are built to handle the toughest jobs and most-extreme hunts smoothly and comfortably with class-leading comfort, sound, and a full-on work ethic.

Both Crew models offer maximum in-cab space and versatility thanks to their two rows of bench seats. Wide enough for three adults, each row of seats is comfortably low to complement the low 12.5-in. floor height for quick and easy vehicle entry/exit.

For the driver, a tilt steering with a column shifter further maximize cab space and ease operation, while the customizable speed control allows the operator to easily set a maximum speed between 25-50 mph (in 1-mph increments) to ensure that drivers are utilizing appropriate speed on any job or task. Electronic power steering provides light steering effort with optimal feedback to the driver.

A modular in-cab design that allows easy removal of the passenger seats – which can be easily stored behind the rear seats – to free up additional floor storage space for oversized items. The behind-the-seat storage offers easily accessible space for quickly needed gear, while smaller items such as gloves, tools and safety goggles can be stored in the spacious glove box.

Prowler Pro Crew models are capably powered by a 50-horsepower, whisper-quiet, 812cc EFI engine that's reliable and ready to handling any workload. Its class-leading smoothness and quietness is the result of vibration-reducing engine mounts and rubber-isolated exhaust system that minimize buzzing and harshness while keeping sound to a hushed minimum. Electronic-selectable 4WD with a selectable locking rear differential provides multiple options for traction in varying conditions.

Drive-by-wire throttle technology is matched by a carefully calibrated CVT drive system to provide ultra-smooth acceleration and off-gas deceleration. The drive-by-wire system is programmed to compensate for unintended "foot bounce" on the gas pedal to maintain smooth power delivery when riding over rough terrain.

Prowler Pro Crew models are equipped with 10 inches of front and 9.5 inches of rear suspension travel, as well as 10 inches of ground clearance for a smooth, comfortable ride experience in all conditions. A 2,000-pound towing capacity, 1,500-lb payload capacity and 1,000-pound tilting cargo box capacity simplify hauling game and towing trailers. The Prowler Pro Crew XT comes with 26-inch Pro Terrain tires and standard halogen headlights. It's available in Dynamic Charcoal or Fire Red.

Riders who want a more customized package will appreciate Prowler Pro Crew Ranch Edition, which features a molded top, 4,500-lb. WARN winch, front brushguard, rear bumper, premium cut-and-sewn bench seats, LED-accented halogen headlights, and 27-inch Maxxis Bighorn 2.0 tires. It comes in Atomic Copper.



# 2019 PROWLER PRO™ CREW XT



## KEY FEATURES

812cc Liquid-Cooled 3 Cylinder EFI Engine
50 HP
2,000-lb Towing Capacity
48 ft-lb of Torque
10-Inch Front Suspension Travel
9.5-Inch Rear Suspension Travel
10-Inch Ground Clearance
1,000-lb Cargo Box Capacity with Tilt
Best-in-Class Sound
Roll-Formed ROPS
Customizable Speed Controller
Pre-Installed Wiring for Accessories
Standard 75-Amp Alternator
Tilt Steering Wheel with Column Shifter
6-Person Bench Seating
Removable Passenger Seats with Behind Rear Seat Storage
Toolless Service Components with Easy Access Panels

## ENGINE & DRIVETRAIN

ENGINE TYPE	Liquid-Cooled 4-Stroke, 3 Cylinder Dual Over-head Cam, Gas Engine
HORSEPOWER	50 HP
DISPLACEMENT	812cc
DRIVETRAIN	CVT
DRIVE SYSTEM	Electric 2/4WD with Electronic Locking Rear Differential
FUEL SYSTEM	Closed-Loop EFI with Catalyst
GEAR SELECTION	Column Shifter (P,R,N,H,L)
FRONT DIFFERENTIAL	2/4WD with Electronic Actuator
REAR DIFFERENTIAL	Selectable Electronic Locking

## PERFORMANCE

PAYLOAD CAPACITY	1,500 lb (680.4 kg)
BED LOAD CAPACITY	1,000 lb (453.6 kg)
ALTERNATOR (ELECTRIC CHARGING SYSTEM)	75-amp
TOWING CAPACITY	2,000 lb (907.2 kg)

## STEERING & SUSPENSION

STEERING	Electronic Power Steering, Tilt Steering Wheel
FRONT SUSPENSION	Double A-Arm with 10 in (25.4 cm)
REAR SUSPENSION	Double A-Arm with 9.5 in (24.1 cm)
SHOCK ABSORBERS	Gas Charged Twin Tube
BRAKE SYSTEM	Dual Piston Front Calipers and Single Piston Rear Calipers
PARKING BRAKE	Park in Transmission
FRONT TIRES	26 x 10-14, Pro Terrain
REAR TIRES	26 x 10-14, Pro Terrain
WHEELS	Machined Aluminium

## DIMENSIONS

OVERALL LENGTH	158.2 in (401.9 cm)
OVERALL WIDTH	63 in (160 cm)
OVERALL HEIGHT	74 in (188 cm)
OVERALL WEIGHT	1,856 lb (841.9 kg) (Dry)
WHEELBASE	118.5 in (301 cm)
SEAT HEIGHT	31.25 in (79.4 cm)
FUEL CAPACITY	10 gal (37.9 L)
GROUND CLEARANCE	10 in (25.4 cm)
GLOVE BOX CAPACITY	1.42 gal (5.4 L)
BED DIMENSIONS	40.5 x 54.5 x 11.5 in (102.9 x 138.4 x 29.2 cm)
HITCH	Standard/2-inch (5cm) Receiver

## COLOR OPTIONS & FRAME

STANDARD COLORS	Dynamic Charcoal, Fire Red
-----------------	----------------------------

## FEATURES

INSTRUMENTATION	Digital Gauge, Digital Speedometer, Odometer, Techometer, Tripmeter, Gear Indicator, Fuel Gauge, AWD Indicator, Hi-Temp/Low-Batt Lights, DC Outlet, On-Board Diagnostics
LIGHTING	Dual High/Low Beam Halogen Headlights and LED Taillights
SEATING	Bench Seat, 6-Passenger with Removable Passenger Seats
STORAGE COMPONENTS	Cargo Dump Bed, Glove Box, Behind-Seat Storage, Cup Holders (5)
ADDITIONAL FEATURES	3-Point Seat Belts, Seat Belt Rev Limiter, Half Doors, Roll-Formed ROPS, Headlights, Brake Lights, Passenger Grab Handles, Customizable Speed Controller
STANDARD ACCESSORIES	N / A

## WARRANTY

12 Months

# 2019 PROWLER PRO™ CREW RANCH EDITION



## KEY FEATURES

812cc Liquid-Cooled 3 Cylinder EFI Engine
50 HP
2,000-lb Towing Capacity
48 ft-lb of Torque
10-Inch Front Suspension Travel
9.5-Inch Rear Suspension Travel
10-Inch Ground Clearance
1,000-lb Cargo Box Capacity with Tilt
Best-in-Class Sound
Roll-Formed ROPS
Customizable Speed Controller
Pre-Installed Wiring for Accessories
Standard 75-Amp Alternator
Tilt Steering Wheel with Column Shifter
6-Person Bench Seating
Removable Passenger Seats with Behind Rear Seat Storage
Toolless Service Components with Easy Access Panels

## ENGINE & DRIVETRAIN

ENGINE TYPE	Liquid-Cooled 4-Stroke, 3 Cylinder Dual Over-head Cam, Gas Engine
HORSEPOWER	50 HP
DISPLACEMENT	812cc
DRIVETRAIN	CVT
DRIVE SYSTEM	Electric 2/4WD with Electronic Locking Rear Differential
FUEL SYSTEM	Closed-Loop EFI with Catalyst
GEAR SELECTION	Column Shifter (P,R,N,H,L)
FRONT DIFFERENTIAL	2/4WD with Electronic Actuator
REAR DIFFERENTIAL	Selectable Electronic Locking



## PERFORMANCE

PAYLOAD CAPACITY	1,500 lb (680.4 kg)
BED LOAD CAPACITY	1,000 lb (453.6 kg)
ALTERNATOR (ELECTRIC CHARGING SYSTEM)	75-amp
TOWING CAPACITY	2,000 lb (907.2 kg)

## STEERING & SUSPENSION

STEERING	Electronic Power Steering, Tilt Steering Wheel
FRONT SUSPENSION	Double A-Arm with 10 in (25.4 cm)
REAR SUSPENSION	Double A-Arm with 9.5 in (24.1 cm)
SHOCK ABSORBERS	Gas Charged Twin Tube
BRAKE SYSTEM	Dual Piston Front Calipers and Single Piston Rear Calipers
PARKING BRAKE	Park in Transmission
FRONT TIRES	27 x 9-14, Maxxis Bighorn 2.0
REAR TIRES	27 x 11-14, Maxxis Bighorn 2.0
WHEELS	Machined Aluminium

## DIMENSIONS

OVERALL LENGTH	161.2 in (409.4 cm)
OVERALL WIDTH	63 in (160 cm)
OVERALL HEIGHT	74 in (188 cm)
OVERALL WEIGHT	1,993 lb (904 kg) (Dry)
WHEELBASE	118.5 in (301 cm)
SEAT HEIGHT	31.25 in (79.4 cm)
FUEL CAPACITY	10 gal (37.9 L)
GROUND CLEARANCE	10 in (25.4 cm)
GLOVE BOX CAPACITY	1.42 gal (5.4 L)
BED DIMENSIONS	40.5 x 54.5 x 11.5 in (102.9 x 138.4 x 29.2 cm)
HITCH	Standard/2-inch (5cm) Receiver

## COLOR OPTIONS & FRAME

STANDARD COLORS	Atomic Copper
-----------------	---------------

## FEATURES

INSTRUMENTATION	Digital Gauge, Digital Speedometer, Odometer, Techometer, Tripmeter, Gear Indicator, Fuel Gauge, AWD Indicator, Hi-Temp/Low-Batt Lights, DC Outlet, On-Board Diagnostics
LIGHTING	Dual High/Low Beam Halogen Headlights with LED Accents and LED Taillights
SEATING	Premium Bench Seat, 6-Passenger with Removable Passenger Seats
STORAGE COMPONENTS	Cargo Dump Bed, Glove Box, Behind-Seat Storage, Cup Holders (5)
ADDITIONAL FEATURES	3-Point Seat Belts, Seat Belt Rev Limiter, Half Doors, Roll-Formed ROPS, Headlights, Brake Lights, Passenger Grab Handles, Customizable Speed Controller
STANDARD ACCESSORIES	Hard Top, 4,500-lb WARN Winch, Front Brushguard, Rear Bumper

## WARRANTY

12 Months



# 2019 PROWLER PRO & PROWLER PRO CREW TECHNOLOGY

## FOUR-WHEEL HYDRAULIC DISC BRAKES

Dual-piston hydraulic front and single-piston hydraulic rear disc brakes with heavy-duty cast-iron rotors deliver enhanced braking performance and feel, effectively controlling all four wheels during deceleration.



## 812CC 3-CYLINDER ENGINE

The 812cc liquid-cooled DOHC 3-cylinder engine is ultra-smooth and quiet. It features a closed-loop EFI system for easy starting, smooth throttle response and optimal fuel economy. Gas-powered, it produces 50HP and is tuned to deliver extra strong low- and mid-range power for maximum hauling and towing performance. It's liquid-cooled with an electric cooling fan for consistent performance in all conditions.



## 3 OR 6-PASSENGER BENCH SEATING

Prowler Pro Crew models feature two rows of 40/20/40 bench seating that provide ample comfort and space for six passengers.

40/20/40 bench seating offers ample comfort and space for a driver and two adult-sized passengers, with a low seat height that eases entry/exit for doing chores. The adjustable driver seat offers 3 inches of forward/rearward movement.



## EASY CAB ENTRY/EXIT

The Prowler Pro and Prowler Pro Crew models are engineered for easy cab entry and exit. The low floor and seat height simplify access. The roll-formed ROPS system maximizes headroom.



## FULL LINE OF CUSTOM ACCESSORIES

More than 50 custom-designed accessories are already available from Textron Off Road, including a truck-inspired cab, heater kit, plows, windshields, roofs, gun scabbards, brush guards and more.



## MAXIMUM STORAGE CAPACITY

Prowler Pro models offer class-leading storage with 17.95 cubic-feet of overall space – including 14.72 cubic-feet in the cargo box. Additional space in the 330-cubic-inch glovebox and behind the seats is easily accessible.



## ELECTRONIC SPEED CONTROLLER

A customizable electronic speed controller allows the operator to set a maximum top speed from 25 to 50 mph (in 1-mph increments) via the dash gauge to ensure that Prowler Pro models are operated at the appropriate speed for the driver as well as the task.



## ELECTRONIC POWER STEERING (EPS)

On the Prowler Pro XT, Electronic Power Steering provides varying electronic steering assist depending upon conditions, effort and speed. An Electronic Control Unit measures steering input force in relation to vehicle speed and tire resistance in order to provide the appropriate assist to the steering column via an electronic brushless motor. The varying levels of assist translate into a light steering input effort, but with optimal feedback so that the rider senses the tire contact with the terrain.




## MODULAR BENCH SEAT

The modular in-cab design features easily removable passenger seats that can be stowed behind the seat backs, providing extra storage space on the floor of the cab. When the seats are in use, the space behind the seat backs provides 2.7 cubic-feet of added storage.

## REDUCED & SIMPLIFIED MAINTENANCE

The Prowler Pro was designed for easy maintenance:

- The clip-on clutch cover offers simple toolless drive belt inspection
- The engine air filter is conveniently located behind the seat, enabling quick and easy filter changes
- A two-stage air filter system minimizes the chance for dust and dirt ingestion into the engine
- The oil filter is conveniently located under the middle seat, with simple toolless access
- The fuse box, coolant level and brake reservoir are conveniently located under hood, with simple toolless access
- The engine fan has an automatic resettable fuse for simplified resetting
- Sealed spherical bushings on the chassis-side of the suspension arms eliminate the need for maintenance, while a grease zerk on the wheel-side of the arms means a quick fix to potential squeaks



## DOUBLE A-ARM SUSPENSIONS

Double A-Arm front and rear suspension deliver premium comfort and control in a full-range of terrain conditions via optimized geometry and 10 inches of front and 9.5 inches of rear travel. A front swaybar enhances positive cornering.



## QUIET AND VIBRATION-FREE RIDE TECHNOLOGY

Dedicated quiet and vibration-free ride technology produces the smoothest and quietest riding experience of any side-by-side in its class:

- The 3-cylinder engine is inherently smoother than single- and twin-cylinder designs
- Working in partnership with Roush, TOR developed rubber-mounting system that isolates the engine from chassis, resulting in a new level of smoothness
- The exhaust system is engineered and tuned for optimized low sound at idle and at common cruising speeds
- A rubber-isolated muffler reduces vibration and lowers overall vehicle sound
- Sealed A-arm bushings reduce vibration
- Large diameter driveshaft reduces driveline vibration
- Clutch tuning is optimized for smooth power delivery and quiet operation
- Throughout the vehicle, specific fasteners, latches and mounting surfaces are utilized for reduced sound and vibration



### **1,000-LB. CAPACITY TILTING REAR CARGO BOX**

A tilting rear cargo box offers 1,000 lbs. of gear-carrying capacity and versatility, with integrated tie-down hooks for added ease. Its impact-resistant polymer construction ensures less noise while hauling all types of gear, as well as long-lasting durability. The hydraulic-assist tilt enables easy dumping of heavy loads.

### **MAXIMUM PAYLOAD & TOWING**

The 2,000-lb. towing capacity, 1,500-lb. payload and 1,000-lb. cargo box capacity deliver maximum hauling performance and convenience.



### **ELECTRIC 2/4WD WITH ELECTRONIC LOCKING REAR DIFFERENTIAL**

The rugged transaxle system on the drivetrain features Park, Reverse, Neutral, High, Low with a steering column-mounted shifter. Electronically selectable on-the-fly 2- and 4-wheel-drive is bolstered by a selectable locking rear differential to achieve the desired traction and drive control in varying conditions.

*2019 TEXTRON OFF ROAD TECHNICAL SPECIFICATIONS*

### **2-IN. REAR RECEIVER**

A rugged, automotive-style 2-inch (5 cm) rear receiver hitch simplifies towing applications.



### **EASY-ACCESS HALF-DOORS**

Lightweight single-latch half-doors offer ergonomically friendly one-hand operation while providing usable storage pockets inside the cab.

### **PRE-WIRED FOR ACCESSORIES**

Prowler Pro models come with pre-installed wiring for a variety of accessories. Together with toolless, easy-access service panels, it allows quick and easy installation of items like light bars, winches, sound systems and more. A standard 75-Amp alternator provides ample electric power for accessories.

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE  
Some images show Prowler Pro models equipped with accessories.